STRATUS HVP

HIGH-VOLUME PURIFICATION DEVICE



PRODUCT DESCRIPTION

The AirBox Stratus HVP is a high-volume air purification unit (APU) designed for large commercial and industrial environments to provide Equivalent Clean Airflow (V_{ACS}). It delivers powerful airflow with an efficient 4-Stage Filtration composition, inclusive of proprietary adsorbent media, and is equipped with an Advanced Operating System for smart monitoring and control. Built for continuous operation, this air cleaner supports indoor air quality strategies and energy savings with ASHRAE Standard 62.1-2022 Indoor Air Quality Procedure (IAQP) in high-demand spaces.

COMPLIANCE AND PERFORMANCE SPECIFICATIONS

| ASHRAE 62.1- 2019/2022 IAQP | Compliant | |
|----------------------------------|--|--|
| ASHRAE 241-2023 | Compliant | |
| IEST-RP-CC007 | Certified 99.99% @ 0.3 microns HEPA Filter | |
| US DOE-STD-3020- | | |
| 2015 | | |
| UL900 | | |
| ISO 16890-1 | | |
| Efficacy and Performance Testing | | |
| ASHRAE 52.2-2017 | Available upon Request | |
| ASHRAE 145.2-2016 | Available upon Request | |

TECHNICAL SPECIFICATIONS

| Unit Size | 37"H x 70"W x 70"D | |
|-------------------------------|--|--|
| Weight | 495 lbs | |
| Maximum Nominal Air Flow Rate | 4,850 CFM | |
| Controls | Standard manual control and UL Listed AirBox Advanced Operating System (IOT) allowing for remote adjustment and BACnet integration. | |
| | See AOS Spec Sheet for more information | |
| Enclosure Material and Finish | Aircraft Grade Aluminum Alloy Outside Skin with Structural Steel Frame | |
| | Powder Coat Finish | |
| Duct Sizes | Trade Size 12 | |
| External Static Pressure Drop | Up to 1.5" WC | |
| Additional Features | Differential Pressure, Formaldehyde, TVOC, PM2.5, and CO2 sensors for concentration and filter life monitoring. | |
| Warranty | Transferable Limited Lifetime Warranty. Lifetime Warranty on material and workmanship. 5 Year warranty on fan and motor package inclusive of electrical. | |

ELECTRICAL SPECIFICATIONS

| Operating Voltage | 3~ 208/230 VAC | |
|-------------------|--|--|
| Maximum Power | 2.73 kW | |
| Maximum Current | 8.5 A | |
| ECM Fan | 3~ 208/230 VAC, 50/60HZ, Ball Bearing, IP55 UL Listed | |
| Connectors | Deutsch DT, IP68 Rated | |

FILTRATION SPECIFICATIONS


| First Stage | Antimicrobial Filter |
|--------------|---|
| | MERV 9 2" Radial Pleated Polyester Filters |
| Second Stage | Molecular Adsorbent Media Filter |
| | Filters with Proprietary Blend of High-Flow Adsorbent Media |
| Third Stage | Antimicrobial Filter |
| | MERV 9 2" Radial Pleated Polyester |
| Fourth Stage | HEPA Filter |
| | Certified 99.99% Effective 12" Pleated Glass Media |

BACNET SPECIFICATIONS

| Communication Protocol | MS/TP |
|-----------------------------------|-------------------------|
| Hardwire Connection Point | RS485 Port |
| Total Number of Objects Supported | 20 (See AOS Spec Sheet) |



Stratus HVP Without Ducts



AIRBOX is regulated by the US Environmental Protection Agency and state governments as a pesticidal device. Accordingly, our air cleaners are packaged and labeled in accordance with EPA regulations under FIFRA section 2(q)(1) and 40 CFR Part 156.

EPA Registered Establishment No.: 97081-NC-1

STRATUS HVP

HIGH-VOLUME PURIFICATION DEVICE



